



HEALTH CENTER

Loving God. Loving People.

WWW.LAWNDALE.ORG | (872) 588-3000

This chart lists important vaccines and tests for your child's development, as well as recommended well-child visits. We also recommend all children aged 6 months and older get a flu vaccine every fall.

In addition to these visits, call or visit your child's LCHC provider any time your child seems ill or whenever you are worried about your child's health or development.

Same day appointments are available.
Call early in the day for best availability.

ш	MEMPOLLI AISIT
	(Hep B, if not
	done at hospital)
	7-14 days
	2 months
	(DTaP, Hep B, Hib,
	PCV, Rotavirus, IPV)
	4 months
	(DTaP, Hib, PCV,
	Rotavirus, IPV)
	6 months*
	(DTaP, Hep B, PCV,
	Hib, Rotavirus, IPV)
	9 months*
	(Hgb. Lead)

☐ 12 months*

Manufactural State

☐ 15 months* (DTaP, Hib, PCV, any remaining immunizations) 18 months* (Hep A, Hgb, Lead, Autism screen) 24 months* (Hab. Lead. Autism screen) 30 months (No routine screenings) ☐ 3 years* (Hab. Lead) 4 vears* (DTaP, IPV, Varicella, MMR, Hab, Lead)

| 5 years*
| (Hgb, Lead) |
| 6 years |
| 7 years |
| 8 years |
| 9 years |
| 10 years |
| 11 years |
| (Tdap booster, MCV, HPV) |
| 12 years |
| 13 years |
| 14 years |
| 15 years |
| 16 years |

Vaccinations Key
DTaP (diphtheria, tetanus, acellular
pertussis)

Tdap (tetanus, diphtheria, pertussis)

MMR (measles, mumps, rubella)

MCV (meningococcal disease)
HPV (human papillomavirus)

IPV (polio)

Hib (Haemophilus influenzae type b)

PCV (pneumococcal disease)

Hgb (Hemoglobin)
Lead (lead screen)

* ASQ Screen

These visits will also include an ages and stages survey to ensure your child is reaching developmental milestones.

(MMR, Hep A, Varicella)

(MCV booster)